

Fast Ring

TWD & MWD CONNECTORS

Suitable for thin and medium wall driplines, our user-friendly and reliable Fast Ring connectors prevent leakage for a full range of applications.



Reliable



High durability



Superb quality

/ Benefits & Features

- ✓ Highly reliable connector
- ✓ Very easy to handle
- ✓ UV resistant
- ✓ Easily released from the pipe when required
- ✓ In certain models, the connector is supplied in one piece (with rings assembled)

/ Specifications


→ In thin & medium wall driplines between 0.13mm (5.0mil) and 0.63mm (25.0mil)

→ Technical Data


Connectors for TWD & MWD	Dripline	
	Internal Diameter (mm)	Wall Thickness (mil)
Fast Ring		
12 Blue Ring	11.8	5.0 - 25.0
16 Blue Ring	16.2	5.0 - 15.0
16 White Ring	15.5	20.0 - 25.0
22 Blue Ring	22.2	5.0 - 15.0
22 White Ring	22.2	20.0 - 25.0
25 Black Ring	25.0	8.0 - 20.0

→ 12mm Fast Ring Connectors


Fast Coupling with Blue Rings

	1 Unit	32500-002471
	10 Units/bag	32500-002473


Fast Elbow with Blue Ring MTH 1/2"

	1 Unit	32500-003350
	10 Units/bag	32500-003360


Fast Tee with Blue Rings MTH 1/2"

	1 Unit	32500-002560
	50 Units/bag	32500-002565


Fast Straight with Blue Ring MTH 1/2"

	1 Unit	32500-002390
	10 Units/bag	32500-002395

Fast with Blue Ring PE Start Connector

	1 Unit	32500-003660
	10 Units/bag	32500-003662


Fast End Line with Blue Ring

	1 unit	32500-003560
	10 units/bag	32500-003565


ID mm	Wall Thickness		Fits Netafim™ Driplines
	mm	mil	
11.8	0.13	5.0	12050
	0.15	6.0	12060
	0.20	8.0	12080
	0.31	12.5	12125
	0.38	15.0	12150
	0.50	20.0	12200
	0.63	25.0	12250

→ 16mm Fast Ring Connectors


Fast Coupling with Blue Rings

	1 Unit	32500-016740
	50 Units/Bag	32500-016760
	100 Units/Bag	32500-016770


Fast Straight with Blue Ring MTH 1/2"

	1 Unit	32500-015100
	50 Units/Bag	32500-015120
	100 Units/Bag	32500-015130


Fast Barb with Blue Ring

	1 Unit	32500-017040
	50 Units/Bag	32500-017060
	100 Units/Bag	32500-017070


Fast Elbow with Blue Ring MTH 1/2"

	1 Unit	32500-015381
	50 Units/Bag	-
	100 Units/Bag	-


Fast Tee with Blue Rings MTH 1/2"

	1 Unit	32500-015341
	50 Units/Bag	-
	100 Units/Bag	-


Fast Coupling

	1 Unit	32500-016720
	50 Units/Bag	32500-016730
	100 Units/Bag	-


Fast Straight MTH 1/2"

	1 Unit	32500-015000
	50 Units/Bag	-
	100 Units/Bag	-


Fast Barb

	1 Unit	32500-017020
	50 Units/Bag	32500-017030
	100 Units/Bag	-

Fast Elbow MTH 1/2"


	1 Unit	32500-015380
	50 Units/Bag	-
	100 Units/Bag	-

Fast Tee MTH 1/2"


	1 Unit	32500-015340
	50 Units/Bag	-
	100 Units/Bag	-

ID mm	Wall Thickness		Fits Netafim™ Driplines
	mm	mil	
16.2	Blue Ring		
	0.13	5.0	16050
	0.14	5.5	16055
	0.15	6.0	16060
	0.20	8.0	16080
	0.25	10.0	16100
	0.31	12.5	16125
15.5	White Ring		
	0.50	20.0	16200
	0.63	25.0	16250


Fast Tee with Blue Rings FTH 3/4"

	1 Unit	32500-016520
	50 Units/Bag	32500-016525
	100 Units/Bag	32500-016530


Fast x 2 with Blue Rings FTH 3/4"

	1 Unit	32500-017850
	50 Units/Bag	32500-017854
	100 Units/Bag	32500-017855


Fast x 3 with Blue Rings FTH 3/4"

	1 Unit	32500-015500
	50 Units/Bag	32500-015520
	100 Units/Bag	32500-015530


Fast x 4 with Blue Rings FTH 3/4"

	1 Unit	32500-015700
	50 Units/Bag	32500-015720
	100 Units/Bag	32500-015730


Fast x 6 with Blue Rings FTH 3/4"

	1 Unit	32500-016550
	50 Units/Bag	32500-016560
	100 Units/Bag	32500-016570


Fast End Line with Blue Ring

	1 Unit	32500-016460
	50 Units/Bag	32500-016480
	100 Units/Bag	32500-016490


Ring (Blue)

	1 Unit	32500-017400
	50 Units/Bag	32500-017420
	100 Units/Bag	32500-017430


Start for PE, on Saddle, Complete (Band + Body + Seal + Blue Ring)

	1 Unit	32500-018000
	50 Units/Bag	32500-018003
	100 Units/Bag	32500-018005


Fast Tee FTH 3/4"

	1 Unit	32500-015300
	50 Units/Bag	32500-015320
	100 Units/Bag	32500-015330


Fast x 2 FTH 3/4"

	1 Unit	32500-017860
	50 Units/Bag	-
	100 Units/Bag	-


Fast x 3 FTH 3/4"

	1 Unit	32500-015400
	50 Units/Bag	32500-015420
	100 Units/Bag	32500-015430


Fast x 4 FTH 3/4"

	1 Unit	32500-015600
	50 Units/Bag	-
	100 Units/Bag	-


Fast x 6 FTH 3/4"

	1 Unit	32500-015800
	50 Units/Bag	-
	100 Units/Bag	32500-015830


Fast End Line

	1 Unit	32500-016450
	50 Units/Bag	-
	100 Units/Bag	32500-016455

Ring (White)

	1 Unit	32500-017600
	50 Units/Bag	32500-017620
	100 Units/Bag	32500-017630

Black Flat Ring for HWD*


	1 Unit	32000-006950
	50 Units/Bag	32000-006975
	100 Units/Bag	32000-006980

* Product suitable for driplines with WT of 0.9, 1.0 & 1.2 mm


ID mm	Wall Thickness		Fits Netafim™ Driplines
	mm	mil	
16.2	Blue Ring		
	0.13	5.0	16050
	0.14	5.5	16055
	0.15	6.0	16060
	0.20	8.0	16080
	0.25	10.0	16100
	0.31	12.5	16125
15.5	White Ring		
	0.50	20.0	16200
	0.63	25.0	16250

→ 22mm Fast Ring Connectors


Fast Coupling with Blue Rings

	1 Unit	32500-021300
	50 Units/Bag	32500-021310
	100 Units/Bag	32500-021320


Fast Straight with Blue Ring MTH 3/4"

	1 Unit	32500-021000
	50 Units/Bag	32500-021019
	100 Units/Bag	32500-021020


Fast Barb with Blue Ring

	1 Unit	32500-021200
	50 Units/Bag	32500-021220
	100 Units/Bag	32500-021230


Fast Elbow with Blue Ring MTH 1/2"

	1 Unit	32500-034020
	50 Units/Bag	-
	100 Units/Bag	32500-034040


Fast Tee with Blue Rings MTH 1/2"

	1 Unit	32500-034120
	50 Units/Bag	-
	100 Units/Bag	32500-034130


Fast Line End with Blue Ring

	1 Unit	32500-060900
	50 Units/Bag	32500-060911
	100 Units/Bag	32500-060912


Ring (Blue)

	1 Unit	32500-022200
	50 Units/Bag	32500-022220
	100 Units/Bag	32500-022225


Fast Coupling

	1 Unit	32500-020800
	50 Units/Bag	-
	100 Units/Bag	-


Fast Straight MTH 3/4"

	1 Unit	32500-020900
	50 Units/Bag	-
	100 Units/Bag	-


Fast Barb

	1 Unit	32500-021100
	50 Units/Bag	-
	100 Units/Bag	-


Fast Elbow MTH 1/2"

	1 Unit	32500-034000
	50 Units/Bag	-
	100 Units/Bag	-


Fast Tee MTH 1/2"

	1 Unit	32500-034100
	50 Units/Bag	-
	100 Units/Bag	-

Fast Line End

	1 Unit	32500-060950
	50 Units/Bag	32500-060951
	100 Units/Bag	32500-060952


Ring (White)

	1 Unit	32500-017740
	50 Units/Bag	32500-017741
	100 Units/Bag	32500-017742


ID mm	Wall Thickness		Fits Netafim™ Driplines
	mm	mil	
22.2	Blue Ring		
	0.13	5.0	22050
	0.15	6.0	22060
	0.18	7.0	22070
	0.20	8.0	22080
	0.25	10.0	22100
	0.31	12.5	22125
	0.34	13.5	22135
	0.38	15.0	22150
	White Ring		
0.50	20.0	22200	
0.63	25.0	22250	

→ 25mm Fast Ring Connectors


Fast Coupling with Black Rings

	1 Unit	32500-019600
	50 Units/Bag	32500-019630
	100 Units/Bag	32500-019650


Fast Straight with Blue Ring MTH 3/4"

	1 Unit	32500-019800
	50 Units/Bag	32500-019840
	100 Units/Bag	32500-019850


Fast Barb with Black Ring

	1 Unit	32500-020000
	50 Units/Bag	32500-020040
	100 Units/Bag	32500-020050


Fast Elbow with Black Ring MTH 1/2"

	1 Unit	32500-034220
	50 Units/Bag	-
	100 Units/Bag	-


Ring (Black)

	1 Unit	32500-020100
	50 Units/Bag	-
	100 Units/Bag	32500-020130


Fast Coupling

	1 Unit	32500-019500
	50 Units/Bag	-
	100 Units/Bag	-


Fast Straight MTH 3/4"

	1 Unit	32500-019700
	50 Units/Bag	-
	100 Units/Bag	-

Fast Barb

	1 Unit	32500-019900
	50 Units/Bag	-
	100 Units/Bag	-

Fast Tee with Black Rings MTH 1/2"

	1 Unit	32500-034320
	50 Units/Bag	-
	100 Units/Bag	-

ID mm	Wall Thickness		Fits Netafim™ Driplines
	mm	mil	
25.0	0.20	8.0	25080
	0.25	10.0	25100
	0.32	12.5	25125
	0.34	13.5	25135
	0.38	15.0	25150
	0.50	20.0	25200








→ Pp Ring Connectors Technical Data





Please note: Pp Ring Connectors parts don't fit the standard fast ring connectors and vice versa.

Connectors for TWD & MWD	Dripline	
	Internal Diameter (mm)	Wall Thickness (mil)
Fast Ring		
16 Blue Ring	16.2	5.0 - 15.0
16 Blue Ring	15.5	20.0
22 Blue Ring	22.2	6.0 - 20.0


→ Pp Ring Connectors Catalog Numbers


Ring Reducing Coupling	Size (mm)	Thread	Catalog No. 1 Unit	Catalog No. 50 Units/Bag	ID mm	Wall Thickness		Fits Netafim™ Driplines
						mm	mil	
	22-16		32510-000030	32510-000031	16.2	Blue Ring		
						0.13	5.0	16050
						0.14	5.5	16055
						0.15	6.0	16060
						0.20	8.0	16080
						0.25	10.0	16100
						0.31	12.5	16125
					0.38	15.0	16150	
					15.5	Blue Ring		
						0.50	20.0	16200
					22.2	Blue Ring		
						0.13	5.0	22050
						0.15	6.0	22060
						0.18	7.0	22070
						0.20	8.0	22080
						0.25	10.0	22100
						0.31	12.5	22125
					0.34	13.5	22135	
					0.38	15.0	22150	
					22.2	Blue Ring		
						0.50	20.0	22200
Ring Straight FTHL	Size (mm)	Thread	Catalog No. 1 Unit	Catalog No. 50 Units/Bag				
	16	3/4" FTHL	32510-000080	32510-000081				
	22		32510-000090	32510-000091				
Ring Elbow	Size (mm)	Thread	Catalog No. 1 Unit	Catalog No. 50 Units/Bag				
	16		32510-000100	32510-000101				
	22		32510-000110	32510-000111				
Ring Reducing Elbow	Size (mm)	Thread	Catalog No. 1 Unit	Catalog No. 50 Units/Bag				
	22-16		32510-000120	32510-000121				
Ring Elbow FTHL	Size (mm)	Thread	Catalog No. 1 Unit	Catalog No. 50 Units/Bag				
	16	3/4" FTHL	32510-000170	32510-000171				
	22		32510-000180	32510-000181				
Ring Tee	Size (mm)	Thread	Catalog No. 1 Unit	Catalog No. 50 Units/Bag				
	16		32510-000190	32510-000191				
	22		32510-000200	32510-000201				
Ring Reducing Tee	Size (mm)	Thread	Catalog No. 1 Unit	Catalog No. 50 Units/Bag				
	22-16-22		32510-000210	32510-000211				
	16-22-16		32510-000220	32510-000221				

Ring Tee FTHL	Size (mm)	Thread	Catalog No. 1 Unit	Catalog No. 50 Units/Bag
	16	¾" FTHL	32510-000270	32510-000271
	22		32510-000280	32510-000281


Ring Start LayFlat	Size (mm)	Thread	Catalog No. 1 Unit	Catalog No. 50 Units/Bag
	16 - ¾"	W/nut S	32510-000290	32510-000291
	22 - ¾"		32510-000300	32510-000301

Recommended hole for assembling – 14mm

Ring Y MTH	Size (mm)	Thread	Catalog No. 1 Unit	Catalog No. 50 Units/Bag
	16	¾" MTH	32510-000330	32510-000331
	22		32510-000340	32510-000341

Ring Y FTHL	Size (mm)	Thread	Catalog No. 1 Unit	Catalog No. 50 Units/Bag
	16	¾" FTHL	32510-000350	32510-000351
	22		32510-000360	32510-000361

→ Pp Ring DL Valves Catalog Numbers

Ring DL Valves	Size (mm)	Thread	Catalog No. 1 Unit	Catalog No. 50 Units/Bag	
	Ring Coupling	16	32540-000520	32540-000521	
	Ring Coupling	22	32540-000530	32540-000531	
	Ring Straight MTH	16	½"	32540-000540	32540-000541
	Ring Straight MTH	16	¾"	32540-000550	32540-000551
	Ring Straight MTH	22	½"	32540-000560	32540-000561
	Ring Straight MTH	22	¾"	32540-000570	32540-000571
	Ring Straight FTH	16	½"	32540-000580	32540-000581
	Ring Straight FTH	16	¾"	32540-000590	32540-000591
	Ring Straight FTH	22	½"	32540-000600	32540-000601
	Ring Straight FTH	22	¾"	32540-000610	32540-000611
	Ring Straight FTHL	16	¾"	32540-000620	32540-000621
	Ring Straight FTHL	22	¾"	32540-000630	32540-000631
	Ring Barb LDPE	16-16		32540-000680	32540-000681
	Ring Barb LDPE	22-20		32540-000690	32540-000691

ID mm	Wall Thickness		Fits Netafim™ Driplines
	mm	mil	
16.2	Blue Ring		
	0.13	5.0	16050
	0.14	5.5	16055
	0.15	6.0	16060
	0.20	8.0	16080
	0.25	10.0	16100
	0.31	12.5	16125
15.5	Blue Ring		
	0.50	20.0	16200
22.2	Blue Ring		
	0.13	5.0	22050
	0.15	6.0	22060
	0.18	7.0	22070
	0.20	8.0	22080
	0.25	10.0	22100
	0.31	12.5	22125
	0.34	13.5	22135
	0.38	15.0	22150
	Blue Ring		
0.50	20.0	22200	